

FINISHES & TEXTURES



POLISHED

A full polished finish give the interior a vibrant and rich effect. The finish is a highly reflective and deepens the colour of tile and adds elegance to any installation.



MATT / UNPOLISHED

The matt / unpolished finish give a beauty of nature soft look. The elegance of this finish is matched by its low maintenance and durability.



HONED

The matt finish is a soft and opaque finished which is delicate to touch and feel. This tile finish give character and space to every room setting.



LAPPATO / SEMI POLISHED

The lappato finish is achieved through a mechanical process whereby the surface is polished with an abrasive wheel to softly reflect a sheer shine to give an elegant finish for an interior space.



STRUCTURED / TEXTURED

Design from natural stone or slabs, the structured or rock finish give slip resistant for any use or application. Durable and low maintenance, which offers sophistication that will lasts.





MATT

SURFACE





SHADE VARIATION



UNIFORM FORM

The range of colours and tones within the same shade is relatively uniform form tile to tile. Minimal to no difference among pieces from the same production run.



SLIGHTLY NOTICEABLE FROM TILE TO TILE

The range of colours and tones within the same shade is slightly noticeable from tile to tile. clearly distinguishable differences in design or pattern. with similar or slight change in colour tones.



MODERATELY NOTICEABLE FROM TILE TO TILE

The range of colours and tones within the same shade is moderately noticeable from tile to tile. clearly distinguishable differences in design or pattern.



DISTINCTLY NOTICEABLE FROM TILE TO TILE

The range of colours and tones within the same shade is distinctly different from tile to tile.

Random colour differences from tile to tile so that one tile may have totally different colours from that on other tiles. FINAL INSTALLATION CAN BE UNIQUE.

LIGHT TO MODERATE TRAFFIC

This test is applied for glazed porcelain tile and more applicable for floor tiles. The rating measures the abrasive resistance or hardness of the tile's glaze on scale of 0-5

Class 0 (PEI 0) NO FOOT TRAFFIC
WALL TILE ONLY and should not be used on floors.

Class 1 (PEI 1) VERY LIGHT TRAFFIC
For tile that are suitable for residential bathroom
with light or very low barefoot foot traffic.

Class 2 (PEI 2) LIGHT TRAFFIC
may be used where abrasive foot traffic is minimal-such as
bathrooms, bedrooms, dining rooms and living rooms.

Class 3 (PEI 3) FOR FLOOR

subject to normal foot traffic and usage (including kitchens, outdoor entryways and hallways.) These tile can be recommended for all residential installations with normal foot traffic.

Class 4 (PEI 4) MODERATE TO HEAVY TRAFFIC Suitable for light to medium commercial applications and high foot traffic areas for residential application.

Class 5 (PEI 5) HEAVY TRAFFIC ideally suited for all residential and heavy traffic commercial areas under normal foot traffic conditions.



ENVIRONMENTALLY PREFERRED PRODUCT

Basaltina, Borgogna, Cementum, l'Pietra, Megalito, Nordik Stone, Polar Black, Solfen, Traces, Vein Stone, Yura

UNITED WE STAND, FOR THE ENVIRONMENT

Sustaining the environment has been the latest inclination of today's world. The sensitivity of consumer towards the atmosphere and preference for the environmentally-friendly product has been growing gradually over the years. Understandably, the attitude of green consumerism in recent years is the effort of earth-loving individuals not only to protect themselves against harmful radicals but also minimising harm caused to mother earth by scrutinising products for environmental safety. Ethical behaviour has become even more crucial as consumers tend to associate their personality or characteristics with the brand. Being pioneer in the tile industry,

Niro Granite proudly announces that is certified as a Green label by the Singapore Environmental Council (SEC). By obtaining the green label certification, Niro Granite commits itself in manifesting and spreading the passion of life with the "ecological attitude" for a better future, with tagline that proudly proclaims: "Passionate About Life", Consumers can relate their eco-behaviour and personality with the brand. By distinguishing the passion of existing in a benevolent life and living in harmony with the environment, Niro Granite pledges to provide credible and familiar positioning to the customers. Devoted to be socially responsible, society and environment has always been at the forefront of Niro Granite's business.

TILE LAYOUT PATTERN


INNOVATION DESIGN FASHION POSSIBILITIES

Due to the low porosity of porcelain tiles, an improved high performance cementitious adhesive in accordance to BS EN 12004 & ISO 13007-1 is highly recommended adhesive manufacturers installation. Products that meet this standard are available amongst leading adhesive manufacturers. Please seek expert advice from adhesive manufacturers for proper selection and application.

























Colour Variations: Since the colour reproduction in this printed piece will vary from the actual tile colours, final selection should be made from tile samples. Colour, shade and glaze variations may exist due to the inherent characteristics of porcelain tile. SHOULD BE USED TO CUT TILE TECHNICIANS.



The Swiss-Quality Tile

งานประณัตทุกแมททีเรียล ความหรูหราระดับ A-LIST

วัสดุสุดหรูมาตรฐานสวิสเซอร์แลนด์ ที่ขึ้นชื่อเรื่อง ความพิถีพิถันในทุกรายละเอียดทั้งดีใชน์และการผลิต เพื่อให้คุณได้ผลงานการตกแต่งระดับเวิล์ดคลาส รังสรรค์ความหรูหราให้บ้าน สะท้อนรสนิยม แฟชั่นนิสต้าของคุณได้อย่างใร้ที่ติ

Neat with material and A-List luxury.

This material is SWISS QUALITY and renowned for meticulous detail in design and production to give you world-class decoration and create luxury for your home, reflecting your flawless fashionista taste.





CEMENTUM

Surface MATT

Size (cm.) 30X60 / 60X60

Working (cm.) 29.7X59.7 / 59.7X59.7

Thickness (mm.)

Rectified YES

R-rating



GCM01 WHITE



GCM02 BEIGE



GCM03 BROWN



GCM04 GREY





























HORIZON STONE

FULL-BODY PORCELAIN TILE

Surface LAPPATO / MATT

Size (cm.) 30X60 / 60X60

Working (cm.) 29.7X59.7 / 59.7X59.7

Thickness (mm.)

Rectified YES

R-rating











GHS02 CANYON



GHS04 ASH






































THE BOLD PLETHORA

Surface LAPPATO / STRUCTURED

Size (cm.) 30X60 / 60X60 / 60X120

Working (cm.) 29.7X59.7 / 59.7X59.7 / 59.7X119.7

Thickness (mm.)

Rectified YES

R-rating 9 (LAPPATO) / 11 (STRUCTURED)


3 (LAPPATO) / 4 (STRUCTURED)

* special order structure 60x60, 60x120 cm.












GEL01 **ELMINA ILLUSTRATION**





GEL02 **ELMINA ILLUSTRATION**



GEL03 YUKON GREY



GEL03 **ELMINA ILLUSTRATION**










GEL04 **ELMINA ILLUSTRATION**

















GGN01 BRITE WHITE



GGN02 HARBOUR GREY



GGN03 EBONY BLACK

GRAIN

Surface STRUCTURED

Size (cm.) 60X60

Working (cm.) 59.7X59.7

Thickness (mm.)

Rectified YES

R-rating 10























I'PIETRA

Surface

MATT (ONLY FOR GIP01 / GIP02 / GIP03) LAPPATO (AVAILABLE FOR ALL COLOR) STRUCTURED (ONLY FOR GIPO3 / GIPO4 / GIP4A / GIP4B)

Size (cm.)

30X60 / 60X60 (AVAILABLE FOR ALL SURFACE) 60X120* (ONLY FOR GIP 01 LAPPATO)

Working (cm.)

29.7X59.7 / 59.7X59.7 / 59.7X119.7

Thickness (mm.)

10 (30x60 / 60x60), 12 (60x120)

Rectified

YES

R-rating

10

PEI

5








































GIP4A IVORY

GIPO4 ALPINE GREY

GIP4B CHARCOAL

GIP07 RIVIERA BLACK







MEGALITO

Surface STRUCTURED

Size (cm.) 30X60 / 60X60

Working (cm.) 29.7X59.7 / 59.7X59.7

Thickness (mm.)

Rectified YES

R-rating 11

































GSM01 BIANCO




GSM02 MARRONE



GSM03 NERO



GSM04 GRIGIO









series STONE

Surface STRUCTURED

Size (cm.) 30X60 / 60X60

Working (cm.) 29.7X59.7 / 59.7X59.7


Thickness (mm.)

Rectified YES

R-rating



































PIETRA PIASENTINA

Surface LAPPATO

Size (cm.) 30X60 / 60X60

Working (cm.) 29.7X59.7 / 59.7X59.7

Thickness (mm.)

Rectified YES

R-rating



GPP02 AVORIO



GPP03 GRIGIO



GPP05 ANTRACITE









































GRM02 JAZZ

Surface STRUCTURED

Size (cm.) 60X60 / 60X120

Working (cm.) 59.7X59.7 59.7x119.7

Thickness (mm.)

Rectified

R-rating 10

PEI


GRM01 FOLK







GRM04 POP ROCK



GRM01 FOLK





GRM03 METAL



















series FULL-BODY PORCELAIN TILE

Surface MATT / STRUCTURED

Size (cm.) 30X60 / 60X60

Working (cm.) 29.7X59.7 / 59.7X59.7

Thickness (mm.)

Rectified YES

R-rating 9 (MATT) / 10 (STRUCTURED)






GPB03 MOON ROCK





GPB01 FOG





GPB04 FROST





GPB02 COBBLE STONE





GPB05 CASTLE ROCK












































GMR81 LIGHT GREY











GMR97 BLACK



POLISHED / MATT / STRUCTURED

Size (cm.) 30X60 / 60X60

Working (cm.) 29.8X59.7 / 60X60

Thickness (mm.) 9.5 (POLISHED) / 10 (MATT)

Rectified YES

R-rating 9 (MATT)

PEI 4



GMR98 ANTRACITE





















GMR83 VANILLA

















series LITE COLLECTION



Surface MATT / LAPPATO Size (cm.) 30X60 / 60X60 Working (cm.) 29.7X59.7 / 59.7X59.7 Thickness (mm.)

Rectified YES

R-rating





GRW04 WEDGEWOOD

GRW05 IRON GREY





























SONOSAND

จากเม็ดทราย ทะเล และสายลม แรงบันดาลใจที่ดีที่สุดอย่างหนึ่ง จากธรรมชาติ **สู่พื้นกระเบื้อง** ที่สวยงาม ใม่ต่างจากสถานที่ ในฝันของหลายๆคน

From grains of sand, sea & wind, one of nature's best inspirations becomes an elegant tile floor.

Surface MATT / STRUCTURED

Size (cm.) 30X60 / 60X60 / 60X120

Working (cm.) 29.7X59.7 / 59.7X59.7 / 59.7X119.7

Thickness (mm.) 10 (30x60 / 60x60), 12 (60x120)

Rectified YES

R-rating 10










































STOCKHOLM

Surface MATT

Size (cm.) 60X60 / 60X120

Working (cm.) 59.7X59.7 / 59.7X119.7

Thickness (mm.) 10 (60x60) / 12 (60x120)

Rectified YES

R-rating 10

PEI 3



GSKMA ILLUSTRATION 3





GSK01 BONDE




































TOUCHSTONE

THE ABSOLUTE ELEGANCE

Surface POLISHED MATT STRUCTURED

Size (cm.) 30x60 60x60


Working (cm.) 29.8x60 60x60

Thickness (mm.)


Rectified YES

R-rating 9 (MATT) 10 (STRUCTURED)





GTU01 SANDSHELL





GTU04 SMOKED GREY





GTU03 WALNUT





GTU05 MOONLESS NIGHT































VEIN STONE

Surface LAPPATO

Size (cm.) 60X60

Working (cm.) 59.7X59.7

Thickness (mm.)

Rectified YES

R-rating

PEI 3

* MATT surface special order



GSV01 BEIGE



GSV02 BROWN



GSV03 BLACK



GSV04 GREY





























































GMY03 FOGGY

GMY01 SNOW











Surface HONED

Size (cm.) 30X60 / 60X60

series

Working (cm.) 29.7X59.7 / 59.7X59.7

Thickness (mm.)

Rectified YES

R-rating

PEI 3



GMY02 IVORY







31

ECO FORESTA

Surface SLIGHTLY STRUCTURED

Size (cm.) 15X60 / 15X90

Working (cm.) 14.8X60 / 14.8X90

Thickness (mm.)

Rectified YES

R-rating



GDW10 ALBERO BIANCO



GDW16 MARRONE ALBERO



GDW15 **ROSSO ALBERO**





































NATURAL WOOD



Size (cm.) 15X60

Working (cm.) 14.8X60

Thickness (mm.)

Rectified YES

R-rating 10

PEI 3







GNW23 EBONY



GNW21 PINE





















SOFTWOOD

Surface SLIGHTLY STRUCTURED

Size (cm.) 15X90 / 20X120

Working (cm.) 14.7X89.7 / 19.7X119.7

Thickness (mm.)

Rectified YES

PEI 3

R-rating

GDW01 LEGNA BIANCO



GDW02 LEGNO BEIGO



GDW03 MARRONE LEGNO



GDW04 LEGNA CASTANO



GDW05 GREY












































SHOWROOM CDC (อาการ D ชั้น 2) Tel. 02 102 2057-8, 081 612 6533 Fax. 02 102 2059



SHOWROOM บ้านซ้าง โฮมมาร์ท พัทยา Tel. 090 592 2266



SHOWROOM นิมิตรใหม่ Tel. 02 993 0588 Fax. 02 993 0589



SHOWROOM ภูเก็ต Tel. 076 304 450 Fax. 076 304 451

FOLLOW US



@wdc_thailand

f wdcthailand

(d) wdc_thailand

(P) wdcthailand

บริษัท เวสเทิร์น เดคอร์ คอร์ปอเรชั่น จำกัด WESTERN DECOR CORPORATION CO.,LTD.

HEAD OFFICE

(Bangkok) 1168/19, 13th floor Lumpini Tower, Rama 4 Rd., Tungmahamek, Sathorn, Bangkok 10120 Thailand Tel: +662 679 8885 - 7, +662 285 6761 - 4 Fax.+662 679 9339

(Chiangmai) Moo4, Room 301 My Hip Condo 1 3rd floor Tambon Nongpakrang, Amphoe Mueang, Chiangmai 50000 Thailand Tel. 052 000 544 Fax. 052 000 662

^{*} บริษัทฯ ซอสงวนสิทธิในการเปลี่ยนแปลงสินค้า โดยมีต้องแจ้งให้ทราบล่วงหน้า / สีในรูปตัวอย่างอาจแตกต่างจากกระเบื้องจริงเนื่องจากการเมิมพ์