



ELEMENTS LUX


ELEMENTS LUX

The Element LUX project stems from the stylistic research of PADUA, which sees the elements of nature as an inexhaustible source of inspiration for the development of sophisticated textures and exclusive colours.

Elements LUX is a versatile product that can emphasise the character of any project in residential, commercial and public areas, available in natural, lappato and honed finishes.



SURFACES





The ELEMENT LUX is inspired by a range of materials ideal for customizing any space.



ELEMENTS LUX

Wall
ELEMENT LUX GREY DARK
PD126513
60x120cm 24"x48"

Floor
PD126519H
60x120cm 24"x48"





Wall
ELEMENT LUX GREY
PD123511 PD123513
30x120cm 12x48

Floor
PD126513P
60x120cm 24x48




Wall
ELEMENT LUX GREY
PD36513
 30x60cm 12x24"

Floor
PD6513
 60x60cm 24x24"



Wall
ELEMENT LUX LIGHT GREY
PD36511P
 30x60cm 12x24"
PD16513P
 10x60cm 4x24"

ELEMENTS LUX





Wall
ELEMENT LUX LIGHT DARK
PD126519
60x120cm 24x48
Triangle Mosaic
25x25cm 10x10

Floor
PD123511 PD123519
30x120cm 12x48
PD126519
60x120cm 24x48



ELEMENTS LUX

Wall
ELEMENT LUX LIGHT
Triangle Mosaic
 25x25cm 10x10"



Wall
ELEMENT LUX GREY DARK
PD126519
 60x120cm 24x48"

Floor
PD126513
 60x120cm 24x48"



ELEMENTS LUX



Wall
ELEMENT LUX LIGHT
PD126511
 60x120cm 24x48"

Floor
PD126511
 60x120cm 24x48"



Wall
ELEMENT LUX GREY
Triangle Mosaic
 25x25cm 10x10"

Floor
PD6513
 60x60cm 24x24"



Wall
ELEMENT LUX GREY
PD123511 PD123513
 30x120cm 12x48"
PD126513
 60x120cm 24x48"

Floor
PD126513
 60x120cm 24x48"



Wall
ELEMENT LUX GREY
PD36513
 30x60cm 12x24"

Floor
PD6513
 60x60cm 24x24"

ELEMENTS LUX





Wall
ELEMENT LUX LIGHT GREY
Triangle Mosaic
 25x25cm 10x10"

Floor
PD6519
 60x60cm 24x24"



ELEMENTS LUX


Floor
ELEMENT LUX LIGHT
PD6511
 60x60cm 24x24"
PD126511
 60x120cm 24x48"



ELEMENTS LUX



PD126511
60x120cm 24"x48"




PD6511
60x60cm 24"x24"



PD36511
30x60cm 12"x24"



PD3511
30x30cm
12"x12"



Triangle Mosaic
25x25cm 10"x10"


LIGHT



ELEMENTS LUX



PD126513
60x120cm 24"x48"




PD6513
60x60cm 24"x24"



PD36513
30x60cm 12"x24"



PD3513
30x30cm
12"x12"



Triangle Mosaic
25x25cm 10"x10"


GREY



ELEMENTS LUX




PD126519
60x120cm 24"x48"




PD6519
60x60cm 24"x24"



PD36519
30x60cm 12"x24"



PD3519
30x30cm 12"x12"



Triangle Mosaic
25x25cm 10"x10"

DARK

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	CHARMAGRES VALUES
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.5%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1300N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥35N/mm²
RESISTANCE TO ABRASION	EN ISO 10545-6	≤205mm³	≤160mm³
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	DURABLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	ANTI-ICE
SLIP RESISTANCE	DIN 51130	R9-R13	≥R9
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	DURABLE
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	NO VISIBLE DEFECTS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M² /Ctn 	M² /Plt 	Ctns/Plt 	Kg/Plt
ELEMENTS LUX	60x120–24"x48"	2	1.44	47.52	33	1089
	60x60–24"x24"	4	1.44	57.6	40	1240
	30x60–12"x24"	8	1.44	57.6	40	1240
	30x30–12"x12"	11	0.99	65.34	66	1406
	30x30–12"x12" Mosaic	11	0.99	65.34	66	1406