

INSPIRE




INFO@PADUACERAMICS.COM
WWW.PADUACERAMICS.COM





INSPIRE



INSPIRE, a new concept of concrete design.

Available in four elegant colorways (light, grey, taupe, dark) and 300x300, 300x600, 600x600 and 450x900 rectified formats, with natural surface.

It is ideal as floor and wall covering in original interior design solutions.



Light



PD4590I
45 x 90cm -18"x 36"



PD600I
60 x 60cm -24"x 24"



PD360I
30 x 60cm -12"x 24"



PD600ID1
60 x 60cm -24"x 24"




Arrow head light
30 x 30cm -12"x 12"



Sargent light
30 x 30cm -12"x 12"



Diamond light taupe
30 x 30cm -12"x 12"



Cube light
30 x 30cm -12"x 12"



3

■ Floor: PD3601 30x60cm / 12"x24"

INSPIRE

Inspire is a collection that can be used for large commercial surface, as well as for residential purposes both for wall and floor tiles.



■ Floor: PD6001 60x60cm / 24"x24" Wall: PD3606 30x60cm / 12"x24"

4



5

■ Floor: PD6001 60x60cm / 24"x24" Wall: PD3601 30x60cm / 12"x24" Sargent light 30x30cm / 12"x12"



6

■ Floor: PD6003 60x60cm / 24"x24" Wall: PD6003D1 60x60cm / 24"x24"



Grey



PD45903
45 x 90cm -18"x 36"




PD6003
60 x 60cm -24"x 24"




PD3603
30 x 60cm -12"x 24"



PD6003D1
60 x 60cm -24"x 24"




PD6003D2
60 x 60cm -24"x 24"




Arrow head grey
30 x 30cm -12"x 12"



Sargent grey
30 x 30cm -12"x 12"



Diamond dark grey
30 x 30cm -12"x 12"



Cube grey
30 x 30cm -12"x 12"



9

■ Floor: PD6003 60x60cm / 24"x24" Wall: PD3603 Mosaic 30x60cm / 12"x24" 30x30cm / 12"x12"



■ Floor: Diamond light grey 30x30cm / 12"x12"

INSPIRE

Unique design for interior with a high style and technology content. An elegant, dynamic spirit, for metropolitan design schemes of genuine class.



■ Wall: Arrow head grey 30x30cm / 12"x12"

10



INSPIRE

Unique decoration with different styles of Inspire series, brings the charm of faraway places into colorful life.





Taupe




PD45904
45 x 90cm -18"x 36"




PD6004
60 x 60cm -24"x 24"




PD3604
30 x 60cm -12"x 24"




PD6004D1
60 x 60cm -24"x 24"



PD6004D2
60 x 60cm -24"x 24"




Arrow head taupe
30 x 30cm -12"x 12"



Sargent taupe
30 x 30cm -12"x 12"



Diamond light taupe
30 x 30cm -12"x 12"



Cube taupe
30 x 30cm -12"x 12"



▣ Floor: PD6004 60x60cm / 24"x24"



▣ Wall: PD3604 30x60cm / 12"x24"

INSPIRE

INSPIRE, recreates an industrial ambiance which sits in perfect harmony with modern urban interior decoration tendencies.




■ Floor: PD3604 30x60cm / 12x24"



■ Floor: PD3606 30x60cm / 12x24"



Dark




PD45906
45 x 90cm -18"x 36"




PD6006
60 x 60cm -24"x 24"




PD3606
30 x 60cm -12"x 24"




PD6006D1
60 x 60cm -24"x 24"




Arrow head dark
30 x 30cm -12"x 12"



Sargent dark
30 x 30cm -12"x 12"




Diamond grey dark
30 x 30cm -12"x 12"



Cube dark
30 x 30cm -12"x 12"

INSPIRE

INSPIRE, a design path among refined patterns, matching innovative aesthetics and exclusive style.



■ Floor: Cube Dark 30x30cm / 12x12"



■ Floor / Wall: PD45906 45x90cm / 18x36"

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	PADUA VALUES
MEASUREMENT AND SURFACE APPEARANCE			
 LENGTH	EN ISO 10545-2	± 0.6%	± 0.1%
 WIDTH	EN ISO 10545-2	± 0.6%	± 0.1%
 THICKNESS	EN ISO 10545-2	± 5%	± 3%
 TRANSMUTATION	EN ISO 10545-2	± 0.5%	± 0.2%
PHYSICAL PROPERTIES			
 WATER ABSORPTION	EN ISO 10545-3	≤ 0.5%	≤ 0.5%
 BREAKING STRENGTH	EN ISO 10545-4	≥ 1300N	≥ 1300N
 MODULUS OF RUPTURE	EN ISO 10545-4	≥ 35N/mm ²	≥ 35N/mm ²
 RESISTANCE TO ABRASION	EN ISO 10545-6	≤ 205mm ³	≤ 160mm ³
 THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤ 9MK-1	≤ 7MK-1
 TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	DURABLE
 FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	ANTI-ICE
 SLIP RESISTANCE	DIN 51130	R9-R13	≥ R9
CHEMICAL PROPERTIES			
 CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	DURABLE
 RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	NO VISIBLE DEFECTS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M ² /Ctn 	M ² /Plt 	Ctns/Plt 	Kg/Plt 
INSPIRE	45x90-18' x36'	3	1.215	68.04	56	1568
	45x90-18' x36'	3	1.215	36.45	30	840
	60x60-24' x24'	4	1.44	57.6	40	1240
	30x60-12' x24'	8	1.44	57.6	40	1240
	30x30-12' x12'	11	0.99	65.34	66	1406
	30x30-12' x12' Mosaic	11	0.99	65.34	66	1406

SHADE VARIATION	V3	 Uniform appearance V1	 Slight variation V2	 Moderate variation V3	 Substantial variation V4
-----------------	----	--	--	--	---