

WDC
WESTERN DECOR CORPORATION CO., LTD.

BANGKOK Head Office

1168/19, 13th fl., Lumpini Tower, Rama 4 Rd., Tungmahamek, Sathorn, Bangkok 10120, Thailand
Tel. 02 679 8885-7, 02 285 6761-4 Fax. 02 679 9339

BANGKOK Showroom

CRYSTAL DESIGN CENTER (CDC)
203-205, 2nd fl., D Building, Soi Ladprao 87, Praditmanutham Rd, Klongjui, Bangkok 10240, Thailand
Tel. 02 102 2057-8, 081 612 6533 Fax. 02 102 2059

NIMITMAI Showroom

57/5-7, Moo 21, Nimitmai Rd., Lamukha, Pathumthani 12150, Thailand
Tel. 02 993 0588 Fax. 02 993 0589

PATTAYA Showroom

143/118-122, Moo 12, Nong Prue, Bang Lamung, Chonburi 20150, Thailand
Tel. 082 452 5658

CHIANGMAI Showroom

LIV 365
88/8, 2nd fl., Mae Cow Soi, Moo 4, Fa Ham, Chiangmai, 50000, Thailand
Tel. 082 452 5658

PHUKET Showroom

108/105-106, Moo 5, Chalermprakiat Rama 9 Rd., Rassada, Muang, Phuket 83000, Thailand
Tel. 076 304 450 Fax. 076 304 451

HAT YAI Showroom

ASEAN PLAZA
Unit S1003, 1468/218, Kanchanavanich Rd., Hatyai, Songkhla 90110, Thailand
Tel. 081 612 6533, 074 801 835

WAREHOUSE

88, Moo 21, Nimitmai Rd., Lamukha, Pathumthani 12150, Thailand
Tel. 02 569 1948 Fax. 02 569 1949



wdc_thailand



www.wdc.co.th



@wdc_thailand



wdc Thailand

*Actual color may look slightly different due to printing. / *สีของกระเบื้องจริงอาจจะแตกต่างจากสีในภาพเนื่องจากการพิมพ์
WDC reserves the right to change the products printed in the catalog at any time.


PORCELAIN TILES & MOSAIC





CONTENT

BELGIUM	01
DENMAEK	02
PRAISE	03
SPAIN	04
GERMAN	05
ICELAND	06
ITALY	07
TRANFORM	08
ENGLAND	09
CARDIFF	10
ALBERO	11
STONEHENGE	12
PARADOX	13
VOLCANO	14
UNITED	15
BUTTERFLY	16





Feeling the exquisite luxury beyond imagination brought
by the power of nature into your floor perfectly

สัมผัสความหรูหราเหนือระดับ ที่นำความงามจากธรรมชาติ
สู่พื้นที่ในบ้านของคุณได้อย่างสมบูรณ์แบบ



Praise Beige
เพชร เบจ
(G6873M2)

BELGIUM

Size (mm.)	300x600, 600x600, 300x300
Working size (mm.)	300x600, 600x600, 300x300 (N/A)
Surface	Structured
R-Rating	11
Rectified	30x60, 60x60 : Yes 30x30 : No




Floor : Belgium Black (G68029)
Floor : Belgium Light Grey (G68048)



Belgium White
G38025 (30x30), G63025 (30x60),
G68025 (60x60)



Belgium Light Grey
G38048 (30x30), G63048 (30x60),
G68048 (60x60)



Belgium Dark Grey
G38028 (30x30), G63028 (30x60),
G68028 (60x60)



Belgium Black
G38029 (30x30), G63029 (30x60),
G68029 (60x60)

DENMARK

Size (mm.)	300x600, 600x600
Working size (mm.)	300x600, 600x600
Surface	Structured
R-Rating	11
Rectified	Yes



Floor : Denmark Black (G68529)




Denmark Cream
G63525 (30x60), G68525 (60x60)



Denmark Olive
G63548 (30x60), G68548 (60x60)




Denmark Grey
G63528 (30x60), G68528 (60x60)



Denmark Black
G63529 (30x60), G68529 (60x60)

PRAISE

Size (mm.)	600x600
Working size (mm.)	600x600
Surface	Structured
R-Rating	10
Rectified	Yes




Wall : Praise Beige (G6873M2)
Floor : Praise Beige (G6873M2)



Praise Beige
G6873M2 (60x60)



Praise Light Grey
G6878M2 (60x60)



Praise Dark Grey
G6877M2 (60x60)



Praise Black
G6874M2 (60x60)

SPAIN

Size (mm.)	300x600, 600x600
Working size (mm.)	300x600, 600x600
Surface	Matt
R-Rating	9
Rectified	Yes



Floor : Spain Black (G68939)



Spain Cream
G63935 (30x60), G68935 (60x60)



Spain Light Brown
G63938 (30x60), G68938 (60x60)



Spain Black
G63939 (30x60), G68939 (60x60)

GERMAN

Size (mm.)	300x600
Working size (mm.)	300x600
Surface	Structured
R-Rating	11
Rectified	Yes

UNGLAZED PORCELAIN

TILE

STR

STRUCTURED SURFACE

V2

SIGHTLY NOTICEABLE FROM TILE TO TILE

RECTIFIED TILE

90°

WALL TILE

FLOOR TILE



Floor : German Grey (G63428)



German Cream
(G63425)



German Black
(G63429)



German Grey
(G63428)

ICELAND

Size (mm.)	300x600, 600x600
Working size (mm.)	300x600, 600x600
Surface	Matt
R-Rating	9
Rectified	Yes

GLAZED PORCELAIN

TILE

MAT

MATT SURFACE

V2

SIGHTLY NOTICEABLE FROM TILE TO TILE

RECTIFIED TILE

90°

WALL TILE

FLOOR TILE

8 RANDOM



Floor : Iceland Light Grey (G68987)



Iceland White
G63985 (30x60), G68985 (60x60)



Iceland Beige
G63982 (30x60), G68982 (60x60)



Iceland Light Grey
G63987 (30x60), G68987 (60x60)



Iceland Dark Grey
G63988 (30x60), G68988 (60x60)

ITALY

Size (mm.)	300x600, 600x600
Working size (mm.)	300x600, 600x600
Surface	Matt
R-Rating	9
Rectified	Yes

GLAZED PORCELAIN

TILE

MAT

MATT SURFACE

V2

SLIGHTLY NOTICEABLE FROM TILE TO TILE

90°

RECTIFIED TILE

WALL TILE

FLOOR TILE

8 RANDOM




Floor : Italy White (G63915)



Italy White
G63915 (30x60), G68915 (60x60)



Italy Light Grey
G63918 (30x60), G68918 (60x60)



Italy Black
G63919 (30x60), G68919 (60x60)

TRANSFORM

Size (mm.)	300x600, 600x600
Working size (mm.)	300x600, 600x600
Surface	Matt
R-Rating	10
Rectified	Yes

GLAZED PORCELAIN

TILE

MAT

MATT SURFACE

V3

MODERATELY NOTICEABLE FROM TILE TO TILE

90°

RECTIFIED TILE


WALL TILE

FLOOR TILE


8 RANDOM



Floor : Transform Light Grey (G68768)
Floor : Transform Dark Grey (G68764)




Transform White
(G68763)



Transform Light Grey
(G68768)



Transform Dark Grey
(G68764)



Transform Black
(G68769)

ENGLAND

Size (mm.) 300x300
Working size (mm.) N/A
Surface Structured
R-Rating 11
Rectified No



Floor : England Grey (G38628)



England Grey (G38628)



England Black (G38629)

CARDIFF

Size (mm.) 300x300
Working size (mm.) N/A
Surface Structured
R-Rating 11
Rectified No



Floor : Cardiff Black (G38529)



Cardiff Cream (G38525)



Cardiff Grey (G38528)



Cardiff Black (G38529)

ALBERO

Size (mm.) 150x900
Working size (mm.) 150x900
Surface Matt
R-Rating 9
Rectified Yes



Floor : Albero Grigio Natural (C159306)



Albero Bianco Natural
(C159301)



Albero Beige Natural
(C159303)



Albero Almond Natural
(C159305)



Albero Grigio Natural
(C159306)



Albero Ash Natural
(C159307)



Albero Marrone Natural
(C159308)



Wall : Butterfly (F009)

STONEHENGE

Size (mm.)	300x300
Working size (mm.)	300x300
Surface	Structured
R-Rating	N/A
Rectified	N/A
(Made to order)	


MOSAICTILE

GLAZEDPORCELAIN


STRSTRUCTURED SURFACE

WALL TILE

FLOOR TILE




Stonehenge Light Grey (C447E)



Stonehenge Dark Grey (XT401E)

STYLE GUIDE



A=30cm, B=30cm, C=2.3cm, D=4.8cm

PARADOX

Size (mm.)	355x300
Working size (mm.)	355x300
Surface	Structured
R-Rating	N/A
Rectified	N/A
(Made to order)	


MOSAICTILE

GLAZEDPORCELAIN


MATMATT SURFACE

WALL TILE

FLOOR TILE




Paradox Cream (S001)



Paradox Grey (S004)

STYLE GUIDE



Wall : Paradox Cream (S001)

VOLCANO

Size (mm.) 300x300
Working size (mm.) 300x300
Surface Structured
R-Rating N/A
Rectified N/A
(Made to order)


MOSAICTILE

GLAZEDPORCELAINTILE


STRSTRUCTURED SURFACE

WALL TILE


FLOOR TILE




Wall : Volcano Dark Grey (H3621E)



Volcano Cream
(H3622E)



Volcano Light Grey
(H3623E)



Volcano Dark Grey
(H3621E)

STYLE GUIDE

	14.7 cm.	
22 cm.		

UNITED

Size (mm.) 300x300
Working size (mm.) 300x300
Surface Matt, Structured
R-Rating N/A
Rectified N/A
(Made to order)

MOSAICTILE

GLAZEDPORCELAINTILE

STRSTRUCTURED SURFACE


MATMATT SURFACE

WALL TILE


FLOOR TILE



Floor : United Nevada (DG302E)



United Nevada
(DG302E) "Structured"




United Texas
(BP6015) "Matt"

STYLE GUIDE

	14.7 cm.	
22 cm.		

BUTTERFLY

Size (mm.) 300x300
Working size (mm.) 300x300
Surface Structured
R-Rating N/A
Rectified N/A
(Made to order)




Wall : Butterfly (F009)



Butterfly (F009)

STYLE GUIDE



FINISHES & TEXTURES



POLISHED
A full polished finish give the interior a vibrant and rich effect. The finish is a highly reflective and deepens the colour of tile and adds elegance to any installation.



MATT / UNPOLISHED
The matt / unpolished finish give a beauty of nature soft look. The elegance of this finish is matched by its low maintenance and durability.



LAPPATO / SEMI POLISHED
The lappato finish is achieved through a mechanical process whereby the surface is polished with an abrasive wheel to softly reflect a sheer shine to give an elegant finish for an interior space.



STRUCTURED / TEXTURED
Design from natural stone or slabs, the structured or rock finish give slip resistant for any use or application. Durable and low maintenance, which offers sophistication that will lasts.



SHADE VARIATION



UNIFORM FORM
The range of colours and tones within the same shade is relatively uniform form tile to tile. Minimal to no difference among pieces from the same production run.



SLIGHTLY NOTICEABLE FROM TILE TO TILE
The range of colours and tones within the same shade is slightly noticeable from tile to tile. clearly distinguishable differences in design or pattern. with similar or slight change in colour tones.



MODERATELY NOTICEABLE FROM TILE TO TILE
The range of colours and tones within the same shade is moderately noticeable from tile to tile. clearly distinguishable differences in design or pattern.



DISTINCTLY NOTICEABLE FROM TILE TO TILE
The range of colours and tones within the same shade is distinctly different from tile to tile. Random colour differences from tile to tile so that one tile may have totally different colours from that on other tiles. **FINAL INSTALLATION WILL BE UNIQUE.**

LIGHT TO MODERATE TRAFFIC

This test is applied for glazed porcelain tile and more applicable for floor tiles. The rating measures the abrasive resistance or hardness of the tile's glaze on scale of 0-5

Class 0 (PEI 0) NO FOOT TRAFFIC
WALL TILE ONLY and should not be used on floors.

Class 1 (PEI 1) VERY LIGHT TRAFFIC
For tile that are suitable for residential bathroom with light or very low barefoot foot traffic.

Class 2 (PEI 2) LIGHT TRAFFIC
may be used where abrasive foot traffic is minimal-such as bathrooms, bedrooms, dining rooms and living rooms.

Class 3 (PEI 3) FOR FLOOR
subject to normal foot traffic and usage (including kitchens, outdoor entryways and hallways.) These tile can be recommended for all residential installations with normal foot traffic.

Class 4 (PEI 4) MODERATE TO HEAVY TRAFFIC
Suitable for light to medium commercial applications and high foot traffic areas for residential application.









Class 5 (PEI 5) HEAVY TRAFFIC
Ideally suited for all residential and heavy traffic commercial areas under normal foot traffic conditions.

TILE LAYOUT PATTERN

INNOVATION DESIGN FASHION POSSIBILITIES

Due to the low porosity of porcelain tiles, an improved high performance cementitious adhesive in accordance to BS EN 12004 & ISO 13007-1 is highly recommended products that meet this standard are available amongst leading adhesive manufacturers.

Please seek expert advice from adhesive manufacturers for proper selection and application.



ข้อแนะนำการปูกระเบื้อง

1. ตรวจสอบข้อมูลข้างกล่อง

ควรเก็บข้อมูลข้างกล่องไว้
เมื่อต้องการซื้อเพิ่มเติม
ชนิด/ประเภท/รหัสสินค้า
ขนาด/เนื้อที่
TYPE :
SIZE :


* ตรวจสอบสินค้าที่ส่งมอบก่อนนำไปใช้งาน
(หากไม่ถูกต้อง กรุณาแจ้งพนักงานขายทันที)
** ควรเก็บข้อมูลข้างกล่องไว้ เมื่อต้องการซื้อเพิ่มเติม
(โดยแจ้งรหัสและเลขที่เนื้อที่กับพนักงานขาย)

2. หยุดปูกันที

เมื่อพบปัญหาของกระเบื้อง เช่น เนื้อสีไม่ตรงกัน ขนาดไม่เท่ากัน
กรุณาติดต่อพนักงานขายโดยเร็วที่สุด
หมายเหตุ : การผลิตสินค้ากระเบื้องในแต่ละครั้ง ส่งผลให้เนื้อสีกระเบื้องมีความแตกต่างกันได้
จึงขอแนะนำให้ส่งกระเบื้องให้พอดีกับการใช้แต่ละพื้นที่ และควรสั่งเผื่อประมาณ 10-15% ขึ้นอยู่กับขนาดพื้นที่

3. ปูตามแนวลูกศร


ควรปูกระเบื้องแต่ละแผ่นไปในทิศทางเดียวกันตามแนวลูกศร
หรือสัญลักษณ์โลโก้ที่อยู่ด้านหลังของแผ่นกระเบื้อง



(ด้านหลังของกระเบื้อง
จะมีลูกศรบอก
หรือสัญลักษณ์โลโก้)

4. เว้นร่องยาแนว อย่างน้อย 2-3 มม.

กระเบื้องเซรามิก และ กระเบื้องพอร์ซเลนทุกประเภท
ควรปูเว้นร่องยาแนวอย่างน้อย 2-3 มม. เพื่อให้แนวกระเบื้องดูสวยงาม
(จะปูให้แนวของกระเบื้องดูสวยงามสามารถใช้ Tile Spacer ในการเว้นระยะ
และใช้ได้กับกระเบื้องประเภทตัดขอบทุกรุ่น หาซื้อได้ตามร้านค้ากระเบื้องทั่วไป)



5. อย่าขีดเขียน


ไม่ควรใช้สีหรือปากกาเคมี ขีดเขียนลงบนผิวหน้ากระเบื้อง
เพราะจะทำให้เป็นรอยที่ลบออกได้ยาก

6. ชัดแว็กซ์ออก

ปกติกระเบื้องแกรนิตโต้ขัดเงา
จะผ่านการเคลือบแว็กซ์เพื่อปกป้องผิวหน้ากระเบื้อง
เมื่อติดตั้งเสร็จต้องขัดแว็กซ์ออกด้วย
ผงขัดแว็กซ์ ผงปูนขาว หรือผงยิปซัม
เพื่อความเงางามของผิวหน้ากระเบื้อง

* **ไม่ควรใช้ผงขัดแว็กซ์กับกระเบื้องสี**
** **ยกเว้น** ในบางรุ่นที่มีฟิล์มพลาสติกปิดหน้า
กระเบื้องมาให้ลอกออกหลังปูเสร็จ





Everything Begins From
“HOME”

Floor : Transform White (G68763)